

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	56790	imaging and (curve or curvature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:31
L2	1053997	antenna or array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:31
L3	25578	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:32
L4	4765222	platform or base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:32
L5	16920	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:32
L6	6296900	platform or base or mount or mounting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:32
L7	18713	3 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:33
L8	537306	electromagnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:33

L9	4829	7 and 8	US-PGPUB;	OR	ON	2005/04/17 12:33
19	4629	7 and 6	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	UR	ON	2003/04/17 12.33
L10	330294	antenna	US-PGPUB;	OR	ON	2005/04/17 12:33
			USPAT; USOCR;		3 ¹¹ 1 1	
			EPO; JPO; DERWENT;	F	35	
			IBM_TDB			
L11	1013	9 and 10	US-PGPUB;	OR	ON	2005/04/17 12:34
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L12	94526	locus	US-PGPUB;	OR	ON	2005/04/17 12:34
			USPAT; USOCR;			
			EPO; JPO;			
			DERWENT; IBM_TDB			
L13	93	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:43
L14	774518	array	US-PGPUB;	OR	ON	2005/04/17 12:44
			USPAT; USOCR;			
			EPO; JPO; DERWENT;			
			IBM_TDB			
L15	28226	(array or antenna) same (curve or curvature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:44
L16	295174	imaging	US-PGPUB;	OR	ON	2005/04/17 12:44
			USPAT; USOCR;	0.		
		(2) 시간 (1) 12 12 12 12 12 12 12 12 12 12 12 12 12	EPO; JPO; DERWENT;			
			IBM_TDB		-	

L17	4471	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:44
L18	2991	6 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:45
L19	2760	18 and @ad<="20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 13:11
L20	1903830	frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:46
L21	1769	19 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:46
L22	650	8 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:47
L23	629	22 not 13	US-PGPUB; USPAT; USOCR;	OR	ON	2005/04/17 13:09
			EPO; JPO; DERWENT; IBM_TDB			

L25	1712	24 and @ad<="20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 13:11
S1	31	"5455590"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 09:59
S2	4	(("5455590") or ("5557283") or ("5859609") or ("6507309")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/22 10:02
S3	4	(US-5455590-\$ or US-5557283-\$ or US-5859609-\$ or US-6507309-\$).did.	USPAT	OR	ON	2005/02/22 10:00
S4	5	(("5455590") or ("5557283") or ("5859609") or ("6507309") or ("20040263379")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/22 10:03
S5	5	(US-20040263379-\$).did. or (US-5455590-\$ or US-5557283-\$ or US-5859609-\$ or US-6507309-\$).did.	US-PGPUB; USPAT	OR	ON	2005/02/22 10:03
S6	1	S5 and (curve or curvature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 10:04
S7.	55329	imaging and (curve or curvature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:31
S8	3956	imaging and (curve or curvature) and locus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 10:05
S9	1033478	antenna or array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/17 12:31

S10	2266	S8 and S9	USPAT;	OR	ON	2005/02/22 10:06
			USOCR;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			

SEARCH NOTES FOR EAST AND IEEE

SERIAL NUMBER

10728456

EAST: search history attached

Search terms:

Results for "((imaging <and> (curve <or> curvature <or> curved) <and>

(antenna <or> array))<in>metadata)"

Your search matched 165 of 1144303 documents.

1. A high acuity 3-D acoustic imaging system

Bates, K.N.

Ultrasonics Symposium, 1995. Proceedings., 1995 IEEE Volume 2, 7-10 Nov 1995 Page(s):1245 - 1250 vol.2

2. Three-dimensional SAR from curvilinear apertures

Knaell, K.

Radar Conference, 1996., Proceedings of the 1996 IEEE National 13-16 May 1996 Page(s):220 - 225

3. Cylindrical plastic lens array fabricated by a micro intrusion process

Pan, L.-W.; Lin, L.; Ni, J.

Micro Electro Mechanical Systems, 1999. MEMS '99. Twelfth IEEE International Conference on

17-21 Jan 1999 Page(s):217 - 221

4. A theoretical assessment of the relative performance of spherical phased arrays for ultrasound surgery

Gavrilov, L.R.; Hand, J.W.

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on Volume 47, Issue 1, Jan 2000 Page(s):125 - 139

5. Designing an array transducer for nonlinear imaging

Jiang, P.; Mao, Z.; Guo, P.; Ho, R.; von Behren, P.

Ultrasonics Symposium, 1999. Proceedings, 1999 IEEE

Volume 2, 1999 Page(s):1265 - 1269 vol.2

6. Extension of the 3-D range migration algorithm to cylindrical and spherical scanning geometries

Fortuny-Guasch, J.; Lopez-Sanchez, J.N.

Antennas and Propagation, IEEE Transactions on

Volume 49, Issue 10, Oct 2001 Page(s):1434 - 1444

7. Examples of design curves for multirow arrays used with time-shift compensation

Lacefield, J.C.; Waag, R.C.

Ultrasonics, Ferroelectrics and Frequency Control, IEEE Transactions on

Volume 49, Issue 9, Sep 2002 Page(s): 1340 - 1344

8. Real-time 3D imaging using 2D curved array

Kim, K.S.; Han, H.S.; Chang, S.H.; Song, T.K.

Ultrasonics Symposium, 2002. Proceedings. 2002 IEEE

Volume 2, 8-11 Oct. 2002 Page(s): 1713 - 1716 vol.2

9. Imaging with large-aperture arrays with heterogeneous directive elements

Hui Yao; Ebbini, S.

Ultrasonics, 2003 IEEE Symposium on

Volume 2, 5-8 Oct. 2003 Page(s): 1243 - 1246 Vol.2

10. 3D ultrasound imaging system using Fresnel ring array

Tamano, S.; Yamazaki, M.; Sano, S.; Hara, K.; Sakano, J.; Miwa, Y.

Ultrasonics, 2003 IEEE Symposium on


Volume 2, 5-8 Oct. 2003 Page(s): 1310 - 1313 Vol.2

11. Curved micromachined ultrasonic transducers

Wong, K.A.; Panda, S.; Ladabaum, I. Ultrasonics, 2003 IEEE Symposium on Volume 1, 5-8 Oct. 2003 Page(s): 572 - 576 Vol.1

12. Real-time cylindrical curvilinear 3-D ultrasound imaging

Pua, E.C.; Yen, J.T.; Smith, S.W. Ultrasonics, 2003 IEEE Symposium on Volume 1, 5-8 Oct. 2003 Page(s): 668 - 671 Vol.1 INSPEC SEARCH



Search strategy

No.	Database	Search term	Info added since	Results
1	INZZ	imaging AND (curve OR curvature OR curved) AND (antenna OR array)	unrestricted	256
2	INZZ	electromagnetic	unrestricted	218360
3	INZZ	1 AND 2	unrestricted	10

Saved: 17-Apr-2005, 19:35:04 CET

Imaging columns with GPR.

Author(s)

Radzevicius-S-J; Clark-B-T; Herbst-D; Webster-T-T; Ed. by Slob-E; Yarovoy-A; Rhebergen-J.

Source

Proceedings of the Tenth International Conference on Ground Penetrating Radar, Vol.1, Delft, Netherlands, 21–24 June 2004.

Sponsors: TNO-FEL, Geophysical Survey Syst., Inc.,-or+D Radar-AS, Allied Associates, Ingegneria dei Sistemi-SPA, Mala Geoscience, Radar Syst. Inc., Roadscanners, Sensors & Software, T&A Survey. In: p.387-90 Vol.1, 2004.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

Medical Physics. Sixth Mexican Symposium on Medical Physics.

Source

Medical Physics. Sixth Mexican Symposium on Medical Physics, Mexico City, Mexico, 20–22 March 2002. Sponsors: CINVESTAV, Mexico, UNAM, Mexico, CONACyT, Mexico, CLAF, Brazil. In: AIP-Conference-Proceedings (USA), no.630, 2002.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

Quantitative measurements with wide-beam riometers.

Author(s)

Friedrich-M; Harrich-M; Torkar-K-M; Stauning-P.

Source

Journal-of-Atmospheric-and-Solar-Terrestrial-Physics (UK), vol.64, no.3, p.359-65, Feb. 2002., Published: Elsevier.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

Fundamental radar properties: hidden variables in space-time.

Author(s)

Gabriel-A-K.

Source

Journal-of-the-Optical-Society-of-America-A (Optics, Image Science and Vision)(USA), vol.19, no.5, p.946-56, May 2002., Published: Opt. Soc. America.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK

GPR imaging approaches for buried plastic landmine detection.

Author(s)

Haihua-Feng; Castanon-D-A; Karl-W-C; Miller-E-L.

Source

Detection and Remediation Technologies for Mines and Minelike Targets V, Orlando, FL, USA, 24–28 April 2000.

Sponsors: SPIE.

In: Proceedings-of-the-SPIE-The-International-Society-for-Optical-Engineering (USA), vol.4038, pt.1-2, p.1485-96, 2000.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK